

CDC Manipulated Studies In Order to Prop Up Official COVID Narrative



By [Dr. Joseph Mercola](#) | [The Defender](#)

Story at-a-glance:

- Recent data from the U.K. Office of National Statistics reveal people who have been double jabbed against [COVID-19](#) are dying from all causes at a rate six times higher than the unvaccinated.
- In the U.S., meanwhile, the Centers for Disease Control and Prevention is propping up the official narrative with two manipulated studies – one suggesting the jab reduces all-cause mortality, and another claiming the shot is five times more protective than [natural immunity](#).

- Both studies are of questionable quality and have several problems, including a selection of time and date ranges that allow them to pretend that the COVID shots are safer and more effective than they really are.
- According to all-cause mortality statistics, the number of Americans who died between January 2021 and August 2021 is 16% higher than in 2018 (the pre-COVID year with the highest all-cause mortality) and 18% higher than the average death rate between 2015 and 2019.

Did COVID-19 raise the death toll despite mass vaccination, or are people dying at increased rates because of the COVID jabs?

- CDC data reveal that while the number of hospitalized patients with natural immunity fell sharply over the summer, when the [delta variant](#) took over, the number of vaccinated people being hospitalized soared, from three per month on average during the spring to more than 100 a month in late summer.

Since these vaccinated patients were less than six months from their second dose, they should have been at or near maximum immunity.

While recent data from the U.K. Office of National Statistics (ONS) reveal people who have been double jabbed against [COVID-19](#) are dying from all causes at a rate [six times](#) higher than the unvaccinated, the U.S. Centers for Disease Control and Prevention is propping up the official narrative with a "[study](#)" that came to the remarkable conclusion that the COVID shot unbelievably reduces your risk of dying from all causes, which includes accidents (but excluding COVID-19-related deaths). As [reported by CNN Health](#) Oct. 22:

"The research team was trying to demonstrate that the three authorized Covid-19 vaccines are safe and they say their findings clearly demonstrate that. 'Recipients of the [Pfizer-BioNTech](#), [Moderna](#), or [Janssen](#) vaccines had lower non-COVID-19

mortality risk than did the unvaccinated comparison groups,' the [researchers wrote](#) in the weekly report of the U.S. Centers for Disease Control and Prevention.

"The team studied 6.4 million people who had been vaccinated against Covid-19 and compared them to 4.6 million people who had received flu shots in recent years but who had not been vaccinated against coronavirus.

"They filtered out anyone who had died from Covid-19 or after a recent positive coronavirus test ... People who got two doses of Pfizer vaccines were 34% as likely to die of non-coronavirus causes in the following months as unvaccinated people, the study found.

"People who got two doses of Moderna vaccine were 31% as likely to die as unvaccinated people, and those who got Johnson & Johnson's Janssen vaccine were 54% as likely to die ..."

Two key takeaways from those paragraphs are:

1. The researchers admit they intended to demonstrate that the shots are safe and effective, and stats can be manipulated to find what you want to find
2. People who got the Janssen shot did in fact have a higher death rate than the unvaccinated (54% likelihood, compared to the unvaxxed).

Are the shots reducing all-cause mortality?

The researchers hypothesize that people who get the COVID jab may be healthier overall than those who abstain and have healthier lifestyles. In my view, this is classic Orwellian doublespeak, as most of the brainwashed don't understand the fundamentals of healthy behavior.

I suspect their new propaganda has more to do with the fact that they only looked at data through May 31. By mid-April, an

estimated [31%](#) of American adults had received one or more shots. As of June 15, [48.7%](#) were fully “vaccinated.”

So, we can assume that by the end of May, somewhere in the neighborhood of 45% of eligible Americans were double jabbed, give or take a couple of percentage points.

The reason I suspect statistical tomfoolery is because this is precisely how the CDC invented the “[pandemic of the unvaccinated](#)” myth, where they claimed 99% of COVID-19 deaths and 95% of COVID-related hospitalizations were occurring among the unvaccinated.


To achieve those statistics, the CDC included hospitalization and mortality data from January through June, a timeframe during which the vaccinated were still in a minority.

Here, we again see them use a seven-month span of time when vaccination rates were low.

More importantly, however, is that the chosen cutoff date also obscures a rapid rise in vaccine-related deaths reported to the U.S. Vaccine Adverse Events Reporting System (VAERS).

Look at the graph below, obtained from the [OpenVAERS mortality reports page](#). As you can see, reports of deaths following the COVID jab peaked right at the beginning of April 2021, then dropped down again during the month of April. Interestingly enough, the study notes that the daily vaccination rate has declined by 78% since April 13.

However, while the daily vaccination rate has plummeted since April, reported deaths have remained high and relatively steady. Could this be a hint that people are dying from shots they received earlier in the year?



As of January 1, only 0.5% of the U.S. population had received a COVID shot, so comparing death rates of the vaxxed and unvaxxed in December 2020 and January 2021 may not be all that fruitful. Why not include July, August, and September in the analysis instead?

As you can see, reported deaths were significantly elevated during these months, compared to December and January. And, while not shown in that graph, between September 3 and October 22 the total cumulative reported death toll shot up from [7,6629](#) to [17,619](#). In other words, it more than doubled in about seven weeks – a timeframe that was not included in the CDC’s analysis.

What’s more, while the study was large and socio-demographically diverse, the authors admit that “the findings might not be applicable to the general population.”

Also, recall they changed the definition of “vaccinated” to include someone who is two weeks past their second dose (for

two-dose regimens). This would obfuscate the truth as there were tens of millions that received one jab or more but were not considered “vaccinated.”

Why is all-cause mortality higher in 2021?

[According to](#) all-cause mortality statistics, the number of Americans who died between January 2021 and August 2021 is 16% higher than in 2018, the pre-COVID year with the highest all-cause mortality, and 18% higher than the average death rate between 2015 and 2019.

Adjusted for population growth of about 0.6% annually, the mortality rate in 2021 is 16% above the average and 14% above the 2018 rate.

The obvious question is, why did more people die in 2021 (January through August) despite the rollout of COVID shots in December 2020? Did COVID-19 raise the death toll despite mass vaccination, or are people dying at increased rates because of the COVID jabs?

In a [two-part series](#), Matthew Crawford of the Rounding the Earth Newsletter examined mortality statistics before and after the rollout of the COVID shots. In [Part 1](#), he revealed the shots killed an estimated 1,018 people per million doses administered (note, this is doses, not the number of individuals vaccinated) during the first 30 days of the European vaccination campaign.

After adjusting for deaths categorized as COVID-19 deaths, he came up with an estimate of 200 to 500 deaths per million doses administered. With 4 billion doses having been administered around the world, that means 800,000 to 2 million so-called “COVID-19 deaths” may in fact be vaccine-induced deaths. As [explained by Crawford](#):

“This does not even include vaccine-induced deaths that have not been recorded as COVID cases, though I suspect that latter

number is smaller since the only good way to hide the vaccine mortality signal is to smuggle deaths through the already-established COVID death toll.”

Corroborating Crawford’s calculations are data from Norway, where 23 deaths were reported following the COVID jab at a time when only 40,000 Norwegians had received the shot. That gives us a mortality rate of 575 deaths per million doses administered. What’s more, after conducting autopsies on 13 of those deaths, all 13 were [determined to be linked](#) to the COVID jab.

Is the COVID jab responsible for excess deaths?

Crawford goes on to look at data from countries that have substantial vaccine uptake while simultaneously having very low rates of COVID-19. This way, you can get a better idea as to whether the COVID jabs might be responsible for the excess deaths, as opposed to the infection itself.

He identified 23 countries that fit these criteria, accounting for 1.88 billion individuals, roughly one-quarter of the global population. Before the COVID jabs rolled out, these nations reported a total of 103.2 COVID-related deaths per million residents. Five nations had more than 200 COVID deaths per million while seven had fewer than 10 deaths per million.

As of Aug. 1, 25.35% of inhabitants in these 23 nations had received a COVID jab and 10.36% were considered fully vaccinated. In all, 673 million doses had been administered. Based on these data, Crawford estimates the excess death rate per million vaccine doses is 411, well within the window of the 200 to 500 range he calculated in Part 1.

Another interesting data dive was performed by Steve Kirsch, executive director of the COVID-19 Early Treatment Fund. In the [video](#) “Vaccine Secrets: COVID Crisis,” he argues that VAERS can be used to determine causality, and shows how the VAERS data indicate more than 300,000 Americans have [likely](#)

[been killed](#) by the COVID shots. Anywhere from 2 million to 5 million have also been injured by them in some way.

What do the VAERS data tell us?

In a Sept. 18 interview with The Covexit podcast, Jessica Rose, Ph.D., who holds degrees in applied mathematics, immunology, computational biology, molecular biology, and biochemistry, also discussed what the VAERS data tell us about the safety of the COVID shots.

Rose covers issues such as the magnitude of the side effects compared to other vaccination programs, the problem of under-reporting, and how causality can be assessed using the Bradford Hill Criteria. You can find a PDF of the slide show that Rose presents [here](#). Here's a summary of some of the key points made in this interview:

- Between 2011 and 2020, the number of VAERS reports ranged between 25,408 and 49,412 for all vaccines. In 2021, with the rollout of the COVID shots, the number of VAERS reports shot up to 521,667, as of Sept. 3 for the COVID shots alone. (Fast-forward to Oct. 22 and the [reported tally](#) for [COVID-related adverse events](#) has ballooned to 837,593.)
- Between 2011 and 2020, the total number of deaths reported to VAERS ranged between 120 and 183. In 2021, as of Sept. 3, the reported death toll had shot up to 7,662. As of Oct. 22, the death toll was [17,619](#).
- Cardiovascular, neurological, and immunological adverse events are all being reported at rates never even remotely seen before.
- The estimated under-reporting factor (URF) is 31. Using this URF, the death toll from COVID shots is calculated to be 205,809 as of Aug.27; Bell's palsy 81,747; herpes zoster infection 149,017; paresthesia 305,660; breakthrough COVID 365,955; myalgia 528,457; life

threatening events 230,113; permanent disabilities 212,691; birth defects 7,998.

- The Bradford Hill Criteria for causation are all satisfied. This includes but is not limited to the strength of effect size, reproducibility, specificity, temporality, dose-response relationship, plausibility, coherence, and reversibility.

CDC claims COVID jab beats natural immunity

If you think the CDC's claim that the COVID jab lowers all-cause mortality is a low point in its irrational vaccine push, prepare to let your expectations sink even lower, with even more egregious Orwellian doublespeak implementation. On Oct. 29 the CDC released yet another study, this one claiming the COVID jab actually offers five times better protection against COVID-19 than natural immunity. As [reported by Alex Berenson](#) in an Oct. 30 Substack article:

“Yesterday the Centers for Disease Control, America's not-at-all-politicized public health agency, released a new study purporting to show that vaccination protects against COVID infection better than natural immunity. Of course, a wave of stories about the benefits of [mRNA](#) vaccination followed.

“To do this, the CDC used some magic statistical analysis to turn inside raw data that actually showed almost four times as many fully vaccinated people being hospitalized with Covid as those with natural immunity – and FIFTEEN TIMES as many over the summer. I kid you not.

“Further, the study runs contrary to a much larger paper from Israeli researchers in August. As my 2-year-old likes to say, How dey do dat? Well, the Israeli study drew on a meaningful dataset in a meaningful way to reach meaningful conclusions.

“It counted infections (and hospitalizations) in a large group of previously infected people against an equally large and balanced group of vaccinated people, then made moderate

adjustments for clearly defined risk factors.

“It found that vaccinated people were 13 times as likely to be infected – and 7 times as likely to be hospitalized – as unvaccinated people with natural immunity. In contrast – how do I put this politely? – the CDC study is meaningless gibberish that would never have been published if the agency did not face huge political pressure to get people vaccinated.”

Data manipulation is apparently a CDC specialty

Berenson goes on to dissect the study in question, starting with its design, which he calls “bizarre.” The CDC analysts looked at data from 200,000 Americans hospitalized with “COVID-like” illness between January and August in nine states. Two groups were then compared:

1. Those who had confirmed COVID at least 90 days before and received another COVID test at the time of their hospitalization.
2. Those who had been fully vaccinated for at least 90 days, but not more than 180 days, before their admittance and received another COVID test at the time of their hospitalization.

Berenson points out what I stressed earlier, which is that choosing certain time or date ranges will allow you to make the shots appear a whole lot better than they actually are.

Here, by choosing a 90- to 180-day inclusion range, they’re looking at a best-case scenario, as we now know the shots quit working after a handful of months. So, they’re only looking at that short window during which the COVID shots are at maximum effectiveness.

The 90-day criterion also ends up excluding the vast majority of patients hospitalized with COVID-like illness, both vaccinated and unvaccinated. While Berenson doesn’t address

the vaccinated, few if any could have been fully vaccinated for at least 90 days prior to March, so why include January and February? Just about everyone was by definition unvaccinated at that time.

As for those with natural immunity, only 1,020 of the 200,000 patients hospitalized between January and August had a previously documented COVID infection. As [noted by Berenson](#):

“Given the fact that at least 20% of Americans, and probably more like 40%, had had COVID by the spring of 2021, this is a strikingly small percentage – and certainly doesn’t suggest long COVID is much of a threat.”

Of the 1,020 with natural immunity, only 89 tested positive for COVID, while 324 of the 6,328 vaccinated patients who met the study criteria tested positive. Of note here are two things:

1. There were more vaccinated patients hospitalized for COVID-like illness than those with natural immunity; this despite including months when vaccination rates were in the fractional and single digits.
2. A greater number of vaccinated patients tested positive for breakthrough infection than patients with natural immunity.

The hospitalization rate among vaccinated is soaring

Berenson [continues](#):

“And the CDC didn’t have, or didn’t publish, figures on how many people were actually in the two groups ... Instead it compared the PERCENTAGE OF POSITIVE TESTS in the two groups. But why would the percentage of positive tests matter, when we don’t know how many people were actually at risk? ...

“[A]mazingly, the statistical manipulation then got even worse. The natural immunity group had an 8.7% positive test

rate. The fully vaccinated group had a 5.1% positive test rate. So the natural immunity group was about 1.7 times as likely to test positive. (1.7x 5.1 = about 8.7.)

“With such a small number of people in the natural immunity group, that raw ‘rate ratio’ may well have failed to reach statistical significance. (We don’t know, because the CDC didn’t provide an unadjusted odds ratio with 95% boundaries – something I have never seen before in any paper.)

“Instead, the CDC provided only a risk ratio that it had adjusted with a variety of factors, including ‘facility characteristics [and] sociodemographic characteristics.’

“And finally, the CDC’s researchers got a number that they could publish – hospitalized people who had previously been infected were five times as likely to have a positive COVID test as people who were fully vaccinated. Never mind that there were actually four times as many people in the second group. Science!

“By the way, buried at the bottom of the report is some actual data. And it’s bad. The CDC divided the hospitalizations into pre-and post-Delta – January through June and June through August.

“Interestingly, the number of hospitalized people with natural immunity actually fell sharply over the summer, as [Delta](#) took off. About 14 people per month were hospitalized in the winter and spring, compared to six per month from June through August. (Remember, this is a large sample, with hospitals in nine states.)

“But the number of VACCINATED people being hospitalized soared – from about three a month during the spring to more than 100 a month during the Delta period. These vaccinated people still were less than 180 days from their second dose, so they should have been at or near maximum immunity – suggesting that Delta, and not the time effect, played an important role in the loss

of protection the vaccine offered.”

Perhaps Rep. Thomas Massie said it best when he [tweeted](#):

“What do ‘road kill’ and a CDC-sponsored COVID paper have in common? By the third day, they’re so picked apart they’re unrecognizable. This CDC Director is shameless for fabricating junk science with findings that stand in stark contrast to every credible academic study.”

Massie goes on to point out some obvious flaws and questions raised by the study, including the following:

- The authors failed to verify recovery among those with the previous infection, so any number of these “reinfections” may actually have been long-COVID.
- The fact that more than 6,000 hospitalized for COVID symptoms were vaccinated, compared to just 1,000 with the previous infection, counters the claim that 99% of COVID hospitalizations are unvaccinated.
- The number of vaccinated people hospitalized for COVID symptoms correlates negatively with the time since vaccination; 3,625 were hospitalized within 90 to 119 days of vaccination, 2,101 within 120 to 149 days, and 902 within 150 to 179 days of vaccination. “Could initial hospitalizations be due to vaccine adverse effects or due to a temporarily weakened immune system from the vaccine?” [Massey asks](#).
- The study only considered those with natural immunity who ended up in the hospital, and not the ones who didn’t get sick. “Natural immunity helps prevent hospitalization!” [Massey says](#).

Massie also notes that this paper, which is only six pages long, has an astounding 50 authors, and at least half a dozen of them disclose [Big Pharma](#) conflicts of interest. What’s more, seeing how Congress gave the CDC a cool \$1 billion to promote the COVID jab, isn’t working for the CDC a conflict of

interest as well?

Martin Kulldorff, Ph.D., professor of medicine at Harvard Medical School and a biostatistician and epidemiologist in the Division of Pharmacoepidemiology and Pharmacoeconomics at Brigham and Women's Hospital, also critiqued the study in a tweet, [saying](#):

"This CDC study has a major statistical flaw, and the 5x conclusion is wrong, it implicitly assumes that hospitalized respiratory patients are representative of the population, which they are not. Trying to connect with authors."

Natural immunity is the best answer

Try as the CDC might twist the data, there's really no question that natural immunity is superior and longer lasting than vaccine-induced immunity. This is also a long-held medical fact that has been tossed aside as too inconvenient to matter in COVID-19.

For some undisclosed reason, the government wants everyone to get the COVID injection, whether medically warranted or not. The sheer lunacy of that is cause enough to be leery and hold off on getting the risky jab.

I can tell you one thing, this policy has nothing to do with safeguarding public health because it's driving public health in the wrong direction.

It's quite clear that the way out of this pandemic is through natural [herd immunity](#), and at this point, we know there's no reason to fear COVID-19. Overall, its lethality is [on par with the common flu](#). Provided you're not in a nursing home or have multiple comorbidities, your chances of surviving a bout of COVID-19 is [99.74%](#), on average.

Additionally, we also know there are several early treatment protocols that are very effective, such as the Frontline

COVID-19 Critical Care Alliance I-MASK+35 protocol, the [Zelenko protocol](#), and nebulized peroxide, detailed in [Dr. David Brownstein's case paper](#) and Dr. Thomas Levy's free [ebook](#), "Rapid Virus Recovery." Whichever treatment protocol you use, make sure you begin treatment as soon as possible, ideally at the first onset of symptoms.

The reported rate of death from COVID-19 shots in VAERS, on the other hand, exceeds the reported death rate of more than 70 vaccines combined over the past 30 years, and if you are injured by a COVID shot and live in the U.S., your only recourse is to [apply for compensation](#) from the Countermeasures Injury Compensation Act (CICP).

Compensation from CICP is very limited and hard to get. You only qualify if your injury requires hospitalization and results in significant disability and/or death, and even if you meet the eligibility criteria, it requires you to use up your private health insurance before it kicks in to pay the difference.

There's no reimbursement for pain and suffering, only lost wages and unpaid medical bills. Salary compensation is of limited duration and capped at \$50,000 a year, and the CICP's decision cannot be appealed.

For a taste of what life is like for those injured by these shots, review some of the cases reported to [nomoresilence.world](#). You can also learn more about the potential mechanisms of harm in [Stephanie Seneff's paper](#), "Worse Than The Disease: Reviewing Some Possible Unintended Consequences of mRNA Vaccines Against COVID-19," published in the International Journal of Vaccine Theory, Practice, and Research in collaboration with Dr. Greg Nigh.

Originally published by [Mercola](#).

The views and opinions expressed in this article are those of the authors and do not necessarily reflect the views of

Children's Health Defense.



[Dr. Joseph Mercola](#)

Dr. Joseph Mercola is the founder of Mercola.com.